

# ADVANCED MULTIFUNCTION MONO PRINTER CREATED SPECIFICALLY FOR SMALL AND HOME OFFICES

High-quality multifunction mono printer series packed with innovative features and optimised for small and home offices. The MF260 series comes with highly efficient new print technology along with advanced scanning options.



**MF264dw**



**MF267dw**



**MF269dw**

The MF260 series is a set of multifunction printers designed for home offices which boast the specifications of devices found at enterprise level.

- Compact design optimised for small or home offices where space is at a premium
- Ultra-fast print speeds of up to 28 pages per minute including double-sided printing. Features a first print out time of less than 6 seconds
- Includes Canon's most advanced Genuine Cartridge, with a replacement cartridge that can deliver up to 4,100 pages before requiring replacement
- MS (Magnetic Sphere) Toner enables faster printing and reduces energy consumption
- Easy to use with a 5-line panel control that enables remote monitoring of toner levels (6-line touch screen for MF267dw & MF269dw)
- Features AirPrint support to enable simple printing from a range of Apple devices
- High Compression PDF scans text/photos in high quality while keeping the file size small
- Digitises paper documents via tablets and smartphones Via the Canon PRINT Business app
- Advanced scanning editing facilities including the option of scanning to the cloud
- The MF260 series is compatible with the Canon PRINT Business app which includes intelligent whiteboard mode that automatically corrects images from the camera

## TOP FEATURES



Touch Panel

LCD Touch Panel  
(MF267dw & MF269dw)  
Simple interface



Wireless Printing

Connectivity  
Wireless direct connection

28  
Black  
ppm

28 pages per minute  
Fast print speed



Ethernet

Ethernet connectivity  
Easily connect to a network



Auto Duplex Print

Double sided printing  
Save paper



600×600dpi

Network scanning  
User friendly network  
scanning

# TECHNICAL SPECIFICATIONS

## i-SENSYS MF264dw / MF267dw / MF269dw

<b>Machine type</b>	Mono Laser All-In-One	<b>Group dials/destinations</b>	Max. 104 dials / Max. 50 destinations in one group
<b>Available functions</b>	MF264dw: Print, Copy and Scan MF267dw/MF269dw: Print, Copy, Scan and Fax	<b>Sequential broadcast</b>	Max. 114 destinations
<b>PRINTER</b>		<b>Memory backup</b>	Permanent fax memory backup (Backup with flash memory)
<b>Print speed</b>	Single sided: Up to 28 ppm (A4) Double sided: Up to 17.8 ipm (A4)	<b>Double sided faxing</b>	Yes (Transmit and Receive)
<b>Printing method</b>	Monochrome laser beam printing	<b>Other features</b>	Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only) DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports
<b>Print quality</b>	Up to 1200 x 1200 dpi	<b>MEDIA HANDLING</b>	
<b>Print resolution</b>	600 x 600 dpi	<b>Scanner type</b>	MF264dw/MF267dw: Flatbed and Automatic Document Feeder (ADF) MF269dw: Flatbed and Duplex Automatic Document Feeder (DADF)
<b>Warm-up time</b>	Approx. 15 seconds or less from power on	<b>Paper input (Standard)</b>	250-sheet cassette 1-sheet multi-purpose tray
<b>First Print Out Time</b>	Approx: 5.2 seconds or less		MF264dw/MF267dw: 35-sheet ADF MF269dw: 50-sheet DADF
<b>Printer languages</b>	UFRII-LT, PCL 5e, PCL6	<b>Paper input (Option)</b>	50-sheet
<b>Fonts</b>	45 PCL fonts	<b>Paper output</b>	Plain paper, Recycled paper, Heavy Paper, Bond Paper, Label, Envelope
<b>Print margins</b>	5 mm-top, bottom, left and right 10 mm-top, bottom, left and right (Envelope)	<b>Media sizes</b>	Cassette : A4, A5, A5(Landscape), B5, A6, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Envelop (COM10, DL, C5), Custom sizes: Min. 76.2 x 127 mm Max. 215.9 x 355.6 mm
<b>Toner saver mode</b>	Yes	<b>Media weights</b>	ADF: MF264dw/MF267dw: A4, A5, B5, B6, Legal, Letter, Custom sizes (W x L): Min. 105 x 148 mm Max 216 x 356 mm MF269dw: A4, A5, B5, B6, Legal, Letter, Custom sizes (W x L): Min. 127 x 140 mm Max 216 x 356 mm
<b>Advanced printing features</b>	Google Cloud Print Ready iOS: AirPrint, Canon PRINT Business app Android: Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app	<b>Double sided printing</b>	Automatic A4, Legal, Letter, OFFICIO, B-OFFICIO, M-OFFICIO, Foolscap 60 to 105 g/m <sup>2</sup>
<b>COPIER</b>		<b>Interface &amp; Software</b>	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n, Wireless Direct Connection
<b>Copy speed</b>	Single sided: Up to 28 ppm (A4) Double sided: Up to 17.8 ipm (A4)	<b>Interface type</b>	Windows* 10 / Windows* 8.1 / Windows* 7 / Server* 2016 / Server* 2012R2 / Server* 2012 / Server* 2008R2 / Server* 2008 / Mac OS X version 10.8.5 & up / Mac OS 10.13 & up Linux5
<b>First Copy Output Time (FCOT)</b>	Approx. 8.2 seconds or less	<b>Operating System compatibility</b>	Print: LPD, RAW, WSD-Print (IPv4, IPv6), IPP, IPPS Scan: Email, SMB, WSD-Scan(IPv4, IPv6) TCP/IP Application Services: Bonjour(mDNS), DHCP, Auto IP (IPv4) DHCPv6 (IPv6), BOOTP, RARP Management: SNMPv1, SNMPv3 (IPv4, IPv6) HTTP, HTTPS, SNMP Security (wired): IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS/PPS), Security (wireless): WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(AES)
<b>Copy resolution</b>	Up to 600 x 600 dpi	<b>Network Protocol</b>	MF Scan Utility, Remote User Interface (RUI), Toner Status Tool,
<b>Copy modes</b>	Text/Photo, Text/Photo (High speed), Photo, Text		
<b>Double sided copying</b>	MF264dw/MF267dw: 1-sided to 2-sided (Automatic) MF269dw: 2-sided to 2-sided (Automatic)		
<b>Multiple copy</b>	Up to 999 copies		
<b>Reduction / Enlargement</b>	25-400% in 1% increments		
<b>Other features</b>	Collate Copies, 2 on 1, 4 on 1, ID card copy		
<b>SCANNER</b>			
<b>Type</b>	Colour		
<b>Scan resolution</b>	Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi		
<b>Scan speed</b>	MF264dw/MF267dw: Single sided mono: 20ipm (300x600dpi) Single sided colour: 15ipm (300x600dpi) MF269dw: Single sided mono: 22ipm (300x600dpi) Single sided colour: 15ipm (300x600dpi) Double sided mono: 8ipm (300x600dpi) Double sided colour: 5ipm (300x600dpi)		
<b>Colour scanning depth</b>	24 bit/24 bit (input/output)		
<b>Greyscales</b>	256 levels		
<b>Compatibility</b>	TWAIN, WIA, ICA		
<b>Max. scan width</b>	215.9mm		
<b>Scan to E-mail</b>	MF267dw/MF269dw only: TIFF/JPEG/PDF/Compact PDF		
<b>Scan to PC</b>	TIFF/JPEG/PDF/Compact PDF/Searchable PDF <sup>2</sup>		
<b>Scan to USB memory key</b>			
<b>Scan to FTP</b>			
<b>Scan to Cloud</b>	TIFF/JPEG/PDF/PNG <sup>3</sup>		
<b>iFAX</b>			
<b>FAX</b>	MF267dw/MF269dw only		
<b>Modem speed</b>	33.6 Kbps (Up to 3 seconds/page <sup>4</sup> )		
<b>RECEIVE MODE</b>	Fax only, Fax/Tel Auto Switch, Answer Mode, Manual, DRPD: Select Fax		
<b>Fax resolution</b>	Normal: 200 x 100 dpi Fine: 200 x 200 dpi Super fine: 200 x 400 dpi		
<b>FAX memory</b>	Up to 256 pages <sup>4</sup>		
<b>Speed dials</b>	Up to 104dials		

# TECHNICAL SPECIFICATIONS

## i-SENSYS MF264dw / MF267dw / MF269dw

### GENERAL FEATURES

Recommended Monthly Print Volume	250 - 2,500 pages per month
Duty cycle	Max. 30,000 pages per month <sup>6</sup>
Processor Speed	400MHz
Memory	256MB
Control panel	MF264dw: 5 lines B&W LCD MF267dw/MF269dw: 6-line LCD B&W Touch Screen
"Dimensions with trays (W x D x H)"	390 mm x 405 mm x 375 mm
"Installation space (W x D x H)"	MF264dw/MF267dw: 435 mm x 620 mm x 645 mm MF269dw: 429 mm x 620 mm x 670 mm
Weight	MF264dw/MF267dw: Approx. 12.9 Kg MF269dw: Approx. 13.8 Kg
Operating environment	Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)
Power Source	220-240V(±10%) 50/60Hz (±2Hz)
Power Consumption	Maximum: Approx. 1180 W Standby: Approx. 5.7 W Sleep mode: Approx. 0.8 W Power switch off: 0.5W or less Typical Electricity Consumption (TEC): 0.8 kWh/week Idle time required to enter sleep mode: 1-30 min (default: 1 min) Idle time required to enter Auto Shutdown: 4 hours (default) <a href="http://www.canon-europe.com/For_Work/Lot26/index.aspx">http://www.canon-europe.com/For_Work/Lot26/index.aspx</a>
Noise Levels	Sound Pressure <sup>7</sup> : Active: MF264dw/MF267dw: 51 dB in B/W printing MF269dw: 50 dB in B/W printing Standby: Inaudible  Sound Power <sup>7</sup> : Active: 70.7 dB or less in B/W printing Standby: N/A

### CONSUMABLES

Cartridges	Cartridge 051 (1,700 pages <sup>8</sup> ) <sup>9</sup> Cartridge 051H (4,100 pages <sup>8</sup> ) <sup>9</sup> Drum Cartridge 051 (23,000 pages <sup>8</sup> ) <sup>9</sup>
------------	---

### ACCESSORIES/ OPTIONS

Items	MF267dw/MF269dw only TEL 6 KIT (Telephone handset)
-------	---

### Notes:

<sup>[1]</sup>A Canon PCL5e driver is not supplied, however PCL5e commands are supported on the device.

<sup>[2]</sup>Scan by MF Scan Utility

<sup>[3]</sup>Scan by MF Scan Utility or Canon PRINT Business app

<sup>[4]</sup>Based on ITU-T Standard Chart No. 1

<sup>[5]</sup>Linux support both printing and scanning  
Available from December 2018.

<sup>[6]</sup>Duty cycle is defined as the maximum number of printed pages for a single peak month.  
Any usage above the recommended duty cycle may decrease the life of the product.

<sup>[7]</sup>Inaudible means that the emission sound pressure level for a bystander is lower than absolute standard for background noise in accordance with ISO 7779

<sup>[8]</sup>Based on ISO/IEC 19752

<sup>[9]</sup>Printer ships with Cartridge 051 (1,700 pages), Drum Cartridge 051 (23,000 pages)

**ADVANCED MULTIFUNCTION  
MONO PRINTER CREATED  
SPECIFICALLY FOR SMALL AND  
HOME OFFICES**

**i-SENSYS MF264dw / MF267dw / MF269dw**

High-quality multifunction mono printer series packed with innovative features and optimised for small and home offices. The MF260 series comes with highly efficient new print technology along with advanced scanning options.

Sales Start Date: October 2018



**PRODUCT DETAILS:**

PRODUCT NAME	Mercury Code	EAN Code
i-SENSYS MF269dw	2925C001AA	4549292114409
i-SENSYS MF267dw	2925C008AA	4549292114461
i-SENSYS MF264dw	2925C016AA	4549292114539

**CONSUMABLES :**

PRODUCT NAME	Mercury Code	EAN Code
Cartridge 051	2168C002AA	4549292105094
Cartridge 051H	2169C002AA	4549292088885
Drum Cartridge 051	2170C001AA	4549292088861

**ACCESSORIES :**

PRODUCT NAME	Mercury Code	EAN Code
Telephone 6 Kit EU (CW)	0752A065AA	4960999537214
Telephone 6 Kit UK (CW)	0752A063AA	4960999453897
Telephone 6 Kit SA (CW)	0752A064AA	4960999453927

**Canon**